

1. PRODUCT AND COMPANY IDENTIFICATION

Product Code: 1130
Product Name: Hand Sanitizer Gel (Ethyl Alcohol)
Company Name: AgroChem Inc. **Phone Number:**
26 Freedom Way +1 (518)226-4850
Saratoga Springs, NY 12866
Web site address: <https://agrocheminc.com/>
Emergency Contact: CHEMTREC +1 (800)424-9300

Intended Use: Hand Sanitizer
Formulation: This SDS applies for package sizes that are 1 gallon or smaller.

2. HAZARDS IDENTIFICATION

GHS Signal Word: **None**
GHS Hazard Phrases: No phrases apply.
GHS Precautionary Phrases: No phrases apply.
GHS Response Phrases: No phrases apply.
GHS Storage and Disposal Phrases: No phrases apply.

Additional Hazards Information This product is regulated as an over-the-counter drug product and is labeled in accordance with the US Food and Drug Administration regulations which take precedence over OSHA Hazard Communication labeling. This material is an over-the-counter consumer product that is safe for consumers with intended and reasonably foreseeable use. Please follow label instructions.

3. COMPOSITION/INFORMATION ON INGREDIENTS

CAS #	Hazardous Components (Chemical Name)	Concentration
64-17-5	Ethyl alcohol	35.0 %
67-63-0	Isopropyl alcohol	35.0 %

4. FIRST AID MEASURES

Emergency and First Aid Procedures:

In Case of Inhalation: None required under normal conditions of use. If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In Case of Skin Contact: None required under normal conditions of use. Get medical attention if irritation persists.

In Case of Eye Contact: Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Remove contact lenses, if present and easy to do after 5 minutes and continue rinsing for an additional 15 minutes. Get medical attention if irritation persists.

In Case of Ingestion: Do NOT induce vomiting. If victim is conscious and alert, give 2-4 cupfuls of milk or water. Never give anything by mouth to an unconscious person. Get medical aid immediately.

Note to Physician: Treat symptomatically and supportively. Show this safety data sheet to the doctor in attendance.

5. FIRE FIGHTING MEASURES

Flash Pt: NA Method Used: Not Applicable

Explosive Limits: LEL: No data. UEL: No data.

Autoignition Pt: No data.

Suitable Extinguishing Media: Dry chemical, CO2, alcohol-resistant foam or water spray.

Unsuitable Extinguishing Media: Do NOT use a solid stream of water. Water spray may be ineffective on fire but can protect firefighters and cool closed containers.

Fire Fighting Instructions: As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH approved (or equivalent), and full protective gear.

Flammable Properties and Hazards: Vapor may travel considerable distance to source of ignition and flash back. Cool containers with water spray until well after the fire is out.

Hazardous Combustion Products: High temperatures and fire conditions can result in the formation of carbon monoxide and carbon dioxide, and oxides of: nitrogen.

6. ACCIDENTAL RELEASE MEASURES

Protective Precautions, Protective Equipment and Emergency Procedures: Use proper personal protective equipment as indicated in Section 8.

Environmental Precautions: Do not let product enter storm drains, storm sewers, watersheds or water systems unless authorized.

Steps To Be Taken In Case Material Is Released Or Spilled: Ensure adequate ventilation. Isolate hazard area. Keep unnecessary and unprotected personnel from entering. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Prevent further leakage or spillage if safe to do so. Use clean non-sparking tools to collect absorbed material. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Following product recovery, flush area with water.

7. HANDLING AND STORAGE

Precautions To Be Taken in Handling: Keep away from heat, sparks and flame. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge. Do not eat, drink, or smoke when using.
Avoid contact with eyes. Avoid inhalation of vapor or mist.

Precautions To Be Taken in Storing: Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from heat, sparks and flame. Keep away from sources of ignition - No smoking. Store between 40F - 100F Keep from freezing. Protect containers against damage. Keep container tightly closed when not in use.

Other Precautions: Handle in accordance with good industrial hygiene and safety practices. Keep out of reach of children.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
64-17-5	Ethyl alcohol	PEL: 1000 ppm	TLV: 1000 ppm STEL: 1000 ppm	No data.
67-63-0	Isopropyl alcohol	PEL: 400 ppm	TLV: 200 ppm STEL: 400 ppm	No data.

Supersedes Revision: N/A

CAS #	Chemical Name	Jurisdiction	Recommended Exposure Limits	Notations
64-17-5	Ethyl alcohol	NIOSH	TWA: 1900 mg/m ³ (1000 ppm)	
67-63-0	Isopropyl alcohol	NIOSH	TWA: 980 mg/m ³ (400 ppm) STEL: 1225 mg/m ³ (500 ppm)	

Respiratory Equipment (Specify Type):	Not required under normal conditions of use with adequate ventilation. If exposure limits are exceeded or respiratory irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn.
Eye Protection:	If splash is likely, goggles may be needed.
Protective Gloves:	Not required under normal use conditions.
Other Protective Clothing:	Not required under normal use conditions.
Engineering Controls (Ventilation etc.):	Use a local or general, mechanical exhaust ventilation system capable of maintaining emissions in the work area, below the OSHA-PEL or ACGIH-TLV. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.
Work/Hygienic/Maintenance Practices:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Environmental Exposure Controls:	Do not let product enter storm drains, storm sewers, watersheds or water systems unless authorized.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical States:	[] Gas [X] Liquid [] Solid
Appearance and Odor:	Appearance: Clear to slightly hazy liquid. May be colorless or pale green. Odor: alcohol-like.
pH:	6.5 - 8.5
Melting Point:	NA
Boiling Point:	NA
Flash Pt:	NA Method Used: Not Applicable
Evaporation Rate:	NA
Flammability (solid, gas):	May be ignited by friction, heat, sparks or flames.
Explosive Limits:	LEL: No data. UEL: No data.
Vapor Pressure (vs. Air or mm Hg):	NA
Vapor Density (vs. Air = 1):	NA
Specific Gravity (Water = 1):	0.87
Density:	NA
Solubility in Water:	NA
Saturated Vapor Concentration:	NA
Octanol/Water Partition Coefficient:	No data.
Autoignition Pt:	No data.
Decomposition Temperature:	No data.
Viscosity:	NA

10. STABILITY AND REACTIVITY

Reactivity:	Not reactive at normal temperatures and pressures.
Stability:	Unstable [] Stable [X]
Conditions To Avoid - Instability:	Heat, flames and sparks. Extremes of temperature and direct sunlight.
Incompatibility - Materials To Avoid:	Strong oxidizing agents, Halogenated compounds, Isocyanates, Ethylene oxide, Acetaldehyde, Aluminum, Acids.
Hazardous Decomposition or Byproducts:	High temperatures and fire conditions can result in the formation of carbon monoxide and carbon dioxide, and oxides of: nitrogen.
Possibility of Hazardous Reactions:	Will occur [] Will not occur [X]
Conditions To Avoid - Hazardous Reactions:	No data available.

11. TOXICOLOGICAL INFORMATION

Toxicological Information:	<p>Epidemiology: No information available. Teratogenicity: No information available. Reproductive Effects: No information available. Mutagenicity: No information available. Neurotoxicity: No information available.</p> <p>Other Studies: CAS# 67-63-0: Acute toxicity, LD50, Oral, Rat, 5045 mg/kg. Other Studies: CAS# 64-17-5: Acute toxicity, LD50, Oral, Rat, 7060 mg/kg</p>
Irritation or Corrosion:	<p>Other Studies: CAS# 67-63-0: Standard Draize Test, Skin, Species: Rabbit, 500 mg Standard Draize Test, Eyes, Species: Rabbit, 100 mg, 24H. Other Studies: CAS# 64-17-5: Standard Draize Test, Skin, Species: Rabbit, 20 mg, 24H Standard Draize Test, Eyes, Species: Rabbit, 500 mg, 24H.</p>
Symptoms related to Toxicological Characteristics:	May cause serious eye irritation. Prolonged contact may cause skin irritation. Inhalation of high concentration may cause rapid respiration, dizziness, fatigue, and nausea.
Sensitization:	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Carcinogenicity/Other Information:	No data available.
Carcinogenicity:	<p>Ethanol possesses properties that indicate a carcinogenicity hazard for human health but these are manifest only at doses associated with consumption of alcoholic beverages. In the context of an industrial chemical, these hazards do not warrant concern as these are not likely to result from the manufacture and use of ethanol and ethanol containing products.</p> <p>NTP? No IARC Monographs? No OSHA Regulated? No</p>

12. ECOLOGICAL INFORMATION

General Ecological Information: Environmental: No information available.
Physical: No information available.

Other Studies: CAS# 67-63-0:
LC50, Water Flea (Daphnia magna), 10000 mg/L, 24H
LC50, Fathead Minnow (Pimephales promelas), 6550000 ug/L, 96H.

Other Studies: CAS# 64-17-5:
LC50, Water Flea (Daphnia magna), neonate, 5680 mg/L, 48H
LC50, Fathead Minnow (Pimephales promelas), juveniles, 13480000 ug/L, 96H
LC50, Brine shrimp (Artemia salina), 695350 ug/L, 24H.

Results of PBT and vPvB assessment: No data available.

Persistence and Degradability: No data available.

Bioaccumulative Potential: No data available.

Mobility in Soil: No data available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Method: Observe all federal, state, and local environmental regulations.

14. TRANSPORT INFORMATION

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: > 1 Liter (0.3 Gallons) Ethanol [or] Ethyl alcohol [or] Ethanol solutions [or] Ethyl alcohol solutions.

May be shipped as limited quantity when transported in quantities no larger than 1 liter, in packages not exceeding 30 kg gross mass. Refer to 49 CFR Section 173.150.

DOT Hazard Class: 3

FLAMMABLE LIQUID

UN/NA Number: UN1170

Packing Group: II



15. REGULATORY INFORMATION

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
64-17-5	Ethyl alcohol	No	No	No
67-63-0	Isopropyl alcohol	No	No	Yes (5%)

EPA SARA Title III Section 313 Toxic Release Inventory.

This product contains a toxic chemical or chemicals subject to the reporting requirements of EPCRA Section 313 (40 CFR Section 372).

CAS #	Hazardous Components (Chemical Name)	Other US EPA or State Lists
64-17-5	Ethyl alcohol	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: Title 8; MA Oil/HazMat: Yes; MI CMR, Part 5: No; NC TAP: No; NJ EHS: No; NY Part 597: No; PA HSL: Yes - 1; SC TAP: No
67-63-0	Isopropyl alcohol	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: TAC: Cat. IIb, Title 8; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No;


Supersedes Revision: N/A

NJ EHS: Yes - 1076; NY Part 597: No; PA HSL: Yes - E; SC
TAP: No

Regulatory Information: Colorless - NDC Code: 13707-1113
Pale Green - NDC Code: 13707-1115 ,13707-1114

16. OTHER INFORMATION

Revision Date: 05/27/2020
Preparer Name: Crystal Maira, Revised by Aimee Trader
Hazard Rating System:



Additional Information: 05/27/2020 - SDS updated with formulary change. 4/5/2020 Updated sections 9, 15
Company Policy or Disclaimer: Information presented herein is believed to be accurate and reliable to the best of our knowledge. However, we make no warranty or merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process. Users should make their own investigations to determine the suitability of the information for their particular purposes.