

# SAFETY DATA SHEET

Emission date: 2022-11-24



## Section 1. Identification

**Product name** : **BioFoam** **Code** : **AGR02**

**Recommended use** : **Foaming agent.**

**Restrictions on use** : For professional use only.


**Supplier/Manufacturer** : **AgroChem**  
26, Freedom Way  
Saratoga Springs, NY 12866  
United States of America  
sales@agrochemusa.com / agrochemusa.com

**Emergency phone (24 hour service)** : **Carechem 24** : 1-215-207-0061  
toll free : 1-866-928-0789

## Section 2. Hazard identification

**OSHA/HCS status** : This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

**Product classification** : CORROSIVE TO METALS - Category 1  
SKIN CORROSION - Category 1  
SERIOUS EYE DAMAGE - Category 1

**Hazard pictograms** : 

**Signal word** : Danger

**Hazard statements** : May be corrosive to metals.  
Causes severe skin burns and eye damage.

### Precautionary statements

**Prevention** : Wear protective gloves, protective clothing and eye or face protection. Keep only in original packaging. Wash hands thoroughly after handling.

**Response** : Absorb spillage to prevent material damage.  
IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor.  
IF SWALLOWED: Immediately call a POISON CENTER or doctor. Rinse mouth. Do NOT induce vomiting.  
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Immediately call a POISON CENTER or doctor. Wash contaminated clothing before reuse.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.

**Storage** : Store locked up. Store in a corrosion resistant container with a resistant inner liner.

**Disposal** : Dispose of contents and container in a waste disposal facility, in accordance with all local, regional and national regulations.

**Other hazards** : None known.

## Section 3. Composition/information on ingredients

**Substance/mixture** : Mixture

### Hazardous ingredients

- Sulfuric acid, mono-C12-14-alkyl esters, sodium salts  
- Dodecylbenzenesulfonic acid

CAS number	Concentration %
85586-07-8	5 - 10
68584-22-5	1 - 5

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

## Section 4. First aid measures

### Description of necessary first aid measures

**Eye contact** : Get medical attention immediately. Call a poison center or physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician.

**Skin contact** : Get medical attention immediately. Wash contaminated skin with soap and water. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes.

- Inhalation** : Get medical attention immediately. Remove person to fresh air and keep comfortable for breathing. Maintain an open airway. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.
- Ingestion** : Get medical attention immediately. Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel.
- Notes to medical doctor** : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

**Most important symptoms/effects, acute and delayed**

The most important known symptoms and effects are described in section 2 and/or in section 11 of this safety data sheet.

**Section 5. Fire-fighting measures**

**Suitable extinguishing media** : Use an extinguishing agent suitable for the surrounding fire.

**Unsuitable extinguishing media** : None known.

**Specific hazards arising from the chemical**

In a fire or if heated, a pressure increase will occur and the container may burst.

**Hazardous thermal decomposition products** : Decomposition products may include the following materials: carbon dioxide carbon monoxide sulfur oxides

**Advice for firefighters**

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

**Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

**Section 6. Accidental release measures**

**Personal precautions, protective equipment and emergency procedures**

No action shall be taken involving any personal risk or without suitable training. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or spray. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

**Methods and materials for containment and cleaning up**

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Absorb spillage to prevent material damage. Dispose of via a licensed waste disposal contractor.

**Section 7. Handling and storage**

**Precautions for safe handling**

Put on appropriate personal protective equipment. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or spray. Wash hands thoroughly after handling. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep away from alkalis. Empty containers retain product residue and can be hazardous. Do not reuse container. Absorb spillage to prevent material damage. Manipulate with care, avoid splashes.

**Conditions for safe storage, including any incompatibilities**

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store in a corrosion resistant container with a resistant inner liner. Separate from alkalis. Keep away from metals. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers.

**Section 8. Exposure controls/personal protection**

**Control parameters**

**Occupational exposure limits**

**Hazardous ingredients**

No exposure limit value known.

**CAS number**

**Exposure limit values**

**Appropriate engineering controls**

Ensure ventilation is adequate if there is a risk of aerosol formation or vapor build-up.

**Personal protective equipment**

**Eye/face** : Wear eye protection against chemical splashes.

**Hands** : Wear chemical-resistant, impervious gloves.

**Respiratory** : No respiratory protection required under normal handling conditions.

**Other** : Wear appropriate protective clothing to prevent skin contact.

**Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.

**Handling of diluted product:** Information contained therein are issued for the concentrated product as sold. At recommended use dilution, risks regarding this product are greatly reduced. Preventive measures can then be tailored to the employer judgment based on experience and/or level of exposure of workers.

### Section 9. Physical and chemical properties

<b>pH</b>	: 2	<b>Physical state</b>	: Liquid.
<b>Specific gravity</b>	: Not available.	<b>Color</b>	: Clear liquid with slight tint of yellow
<b>Odor threshold</b>	: Not available.	<b>Odor</b>	: Characteristic.
<b>Boiling point</b>	: Not available.		
<b>Melting/freezing point</b>	: Not available.		
<b>Vapor pressure</b>	: Not available.		
<b>Vapor density</b>	: 1.019 [Air = 1]		
<b>Volatility</b>	: Not available.		
<b>Solubility</b>	: Not available.		
<b>Flash point</b>	: Not available.		
<b>Viscosity</b>	: Not available.		
<b>Evaporation rate</b>	: Not available.		
<b>Flammability (solid, gas)</b>	: Not available.		
<b>Flammable limits</b>	: Not available.		
<b>Partition coefficient: n-octanol/water</b>	: The product is much more soluble in water.		
<b>Auto-ignition temperature</b>	: Not available.		
<b>Decomposition temperature</b>	: Not available.		

### Section 10. Stability and reactivity

<b>Reactivity</b>	: No specific test data related to reactivity available for this product or its ingredients.
<b>Chemical stability</b>	: The product is stable.
<b>Possibility of hazardous reactions</b>	: Under normal conditions of storage and use, hazardous reactions will not occur.
<b>Conditions to avoid</b>	: No specific data.
<b>Incompatible materials</b>	: Attacks many metals producing extremely flammable hydrogen gas which can form explosive mixtures with air. Reactive or incompatible with the following materials: alkalis metals
<b>Hazardous decomposition products</b>	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### Section 11. Toxicological information

**Likely routes of exposure** : Dermal contact. Eye contact. Ingestion.

#### Potential acute health effects

<b>Eye contact</b>	: Causes serious eye damage.
<b>Skin contact</b>	: Causes severe burns.
<b>Inhalation</b>	: The inhalation of airborne droplets or aerosols may cause irritation of the respiratory tract.
<b>Ingestion</b>	: May cause burns to mouth, throat and stomach.

#### Potentials symptoms related to the physical, chemical and toxicological characteristics

<b>Eye contact</b>	: Pain, watering, redness
<b>Skin contact</b>	: Pain or irritation, redness, blistering may occur
<b>Inhalation</b>	: respiratory tract irritation, coughing
<b>Ingestion</b>	: Stomach pains

#### Potential chronic health effects

<b>Carcinogenic Effects</b>	: No known significant effects or critical hazards.
<b>Mutagenic Effects</b>	: No known significant effects or critical hazards.
<b>Teratogenic Effects</b>	: No known significant effects or critical hazards.
<b>Reproductive effects</b>	: No known significant effects or critical hazards.
<b>Sensitizer</b>	: No known significant effects or critical hazards.

**Numerical measures of acute toxicity**

Hazardous ingredients	Species	Result	Dose
- Sulfuric acid, mono-C12-14-alkyl esters, sodium salts	Rat	LD50 Oral	1800 mg/kg
- Dodecylbenzenesulfonic acid	Rabbit	LD50 Dermal	>2000 mg/kg
	Rat	LD50 Oral	500 to 2000 mg/kg

**Section 12. Ecological information**

**Ecotoxicity** : No known significant effects or critical hazards.

**Aquatic ecotoxicity:**

Hazardous ingredients	Result	Species	Exposure
- Sulfuric acid, mono-C12-14-alkyl esters, sodium salts	Acute EC50 >20 mg/l	Algae	72 hours
	Acute EC50 4.7 mg/l	Daphnia	48 hours
	Acute LC50 3.6 mg/l	Fish	96 hours
	Chronic NOEC <0.508 mg/l	Crustaceans	7 days
	Chronic NOEC >1.357 mg/l	Fish	42 days
	- Dodecylbenzenesulfonic acid	Acute EC50 47.3 mg/l	Algae
Acute EC50 2.4 mg/l		Daphnia	48 hours
Acute LC50 1.67 mg/l		Fish	96 hours

**Persistence and degradability**


Not available.

**Section 13. Disposal considerations**

**Waste handling and disposal**

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

**Section 14. Transport information**

Reg. info.	UN #	Proper shipping name	Class	Packing group	Label
<b>DOT Classification</b>	UN3265	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (- Dodecylbenzenesulfonic acid, mixture)	8	III	

**Marine pollutant** : No.

**Additional information** : **Remarks** Limited quantity in 5L or less.

**Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

**Section 15. Regulatory information**

Classification of this product and the SDS have been made in accordance with OSHA Hazard Communication Standard (29 CFR 1910.1200) in force in the United States of America. This product is a mixture for which no specific health effects data exist. The risks have therefore been evaluated based on the physicochemical properties of the product and its composition and may be overestimated.

**Food contact** : Not available.

**US inventory (TSCA 8b)** : All components are listed, exempted or notified.

**SARA 302/304 Components**

Within the present knowledge of the supplier, this product does not contain any hazardous ingredients in quantities requiring reporting, in accordance with local regulations.

**SARA 313 Components**

No listed substance

**State regulations**

**Massachusetts** : None of the components are listed.

**New York** : None of the components are listed.

**New Jersey** : None of the components are listed.

**Pennsylvania** : None of the components are listed.

**California Prop. 65**

This product does not require a Safe Harbor warning under California Prop. 65.

**Section 16. Other information**

**Hazardous Material Information System (U.S.A.)**

Health	/	3
Flammability		0
Physical hazards		4
Personal protection		¥

¥ The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

**National Fire Protection Association (U.S.A.)**



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

**Date of issue** : 2022-11-24

**Version** : 2.01

**Notice to reader**

The information provided in this Safety Data Sheet has been compiled from our experience and data presented in various technical publications. The information contained herein is based on the state of our current knowledge of the product concerned. It is the user's responsibility to verify the value of this information for the adoption of required safety measures. We reserve the right to revise Safety Data Sheets from time to time as new technical information becomes available. The user has the responsibility to contact the company to make sure that the Safety Data Sheet he owns is the last published.

**Prepared by : Department of Regulatory Affairs of Kersia North America.**

**Phone: 819-228-5564**